

s 12

L3 5 L2

=> s 13 and holographic

6687 HOLOGRAPHIC

6 HOLOGRAPHICS

6691 HOLOGRAPHIC

(HOLOGRAPHIC OR HOLOGRAPHICS)

14164 HOLOG

13 HOLOGS

14165 HOLOG

(HOLOG OR HOLOGS)

14992 HOLOGRAPHIC

(HOLOGRAPHIC OR HOLOG)

L4 0 L3 AND HOLOGRAPHIC

=> d 13 1-5 abs ibib hitstr

L3 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN

AB The title compds.  $[X1(R1)aSiO(3-a)/2]x[(R1)bSiO(4-b)/2]y$  [R1 = C1-10 alkyl, aryl; Xi = R2Si(OR3)bi(R1)ci(OSi(R1)2Xi+1)3-bi-ci; R2 = C2-10 alkylene; R3 = C1-10 alkyl; i = 1-10; bi, ci = 0-3; Xi+1 = R4SR5Y; R4, R5 = C1-20 hydrocarbylene; Y = sugar residue; a = 0-2; b = 0-3; x .gtoreq. 2; y .gtoreq. 0] having .gtoreq. 2 sugar residues/mol are prepd. E.g., Si[OSiMe2(CH2)3Si[OSiMe2(CH2)3Br]3]4 (81 mg) was treated with 474 mg 4-(acetylthio)butyl 2,3,4,6-tetra-O-acetyl-.beta.-D-glucopyranoside in DMF/MeOH at room temp. for 2 h and then treated with MeONa at 35.degree. for 24 h to give 95 mg Si[OSiMe2(CH2)3Si[OSiMe2(CH2)2S(CH2)4OG]3]4 (G = 2,3,4,6-tetra-O-acetyl-.beta.-D-glucopyranose residue).

ACCESSION NUMBER: 2003:389986 CAPLUS

DOCUMENT NUMBER: 138:402032

TITLE: Preparation of organopolycarbosiloxanes having sugar residues

INVENTOR(S): Yoshitake, Makoto; Terunuma, Hiroaki; Matsuoka, Hiroshi; Hatano, Takeshi

PATENT ASSIGNEE(S): Dow Corning Toray Silicone Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 9 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2003146991	A2	20030521	JP 2001-348118	20011113
WO 2003042284	A1	20030522	WO 2002-JP11806	20021112
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			

PRIORITY APPLN. INFO.: JP 2001-348118 A 20011113

IT 528610-24-4P


RL: PNU (Preparation, unclassified); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(prepn. of organopolycarbosiloxanes having sugar residues)


RN 528610-24-4 CAPLUS



CN Trisiloxane, 1,5-bis[3-[3-(3-bromopropyl)-1,1-bis[[3-bromopropyl)dimethylsilyl]oxy]-3,3-dimethyldisiloxanyl]propyl]-3,3-bis[[[3-[3-(3-bromopropyl)-1,1-bis[[3-(3-bromopropyl)dimethylsilyl]oxy]-3,3-dimethyldisiloxanyl]propyl]dimethylsilyl]oxy]-1,1,5,5-tetramethyl- (9CI)  
(CA INDEX NAME)

PAGE 1-A



PAGE 2-A





L3 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN  
 AB The dendrimers (Mn .ltoreq.1,000,000) contg. .gtoreq.1 R4SiR5(3-c)Yc (R4 = C2-10-alkylene; R5 = C1-10-alkyl, aryl; Y = C1-10-acyloxy, halo, OH; c = 1-3) in a mol. comprise 1-100 mol% X1R1aSiO(3-a)/2 [R1 = C1-10-alkyl, aryl; a = 0-2; X1 = Xi when i = 1; Xi = R2Si(OR3)bi(OSiR12Xi+1)3-bi; R2 = C2-10-alkylene; R3 = C1-10-alkyl; Xi+1 = Xi, R4SiR5(3-c)Yc; R4, R5, Y, c = same as above; i = 1-10; bi = 0-3] and 0-99 mol% R1gSiO(4-g)/2 (R1 = same as above; g = 0-3). Thus, vinyltrimethoxysilane, tetrakis(dimethylsiloxy)silane, 1,1,3,3-tetramethyldisiloxane, and dimethylvinylchlorosilane were reacted in this order to give a dendrimer Si[OSiMe2C2H4Si(OSiMe2C2H4SiMe2Cl)3]4 with Mn 2757 and dispersibility index 1.07.

ACCESSION NUMBER: 2001:568376 CAPLUS  
 DOCUMENT NUMBER: 135:153252  
 TITLE: Carbosiloxane dendrimers with good reactivity  
 INVENTOR(S): Watanabe, Toshinori; Onodera, Tetsu; Yoshitake, Makoto  
 PATENT ASSIGNEE(S): Dow Corning Toray Silicone Co., Ltd., Japan  
 SOURCE: Jpn. Kokai Tokkyo Koho, 9 pp.  
 CODEN: JKXXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:



PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001213885	A2	20010807	JP 2000-23053	20000131
PRIORITY APPLN. INFO.:			JP 2000-23053	20000131

IT 352673-70-2P  
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)  
 (carbosiloxane dendrimers with good reactivity)



RN 352673-70-2 CAPLUS



CN 2,7,12,14,19,24-Hexaoxa-3,6,8,11,13,15,18,20,23-nonasilapentacosane,  
 13,13-bis[[4,4-bis[[dimethyl[2-(trimethoxysilyl)ethyl]silyl]oxy]-9,9-dimethoxy-1,1,6,6-tetramethyl-5,10-dioxa-1,4,6,9-tetrasilaundec-1-yl]oxy]-8,8,18,18-tetrakis[[dimethyl[2-(trimethoxysilyl)ethyl]silyl]oxy]-3,3,23,23-tetramethoxy-6,6,11,11,15,15,20,20-octamethyl- (9CI) (CA INDEX NAME)



PAGE 1-A



PAGE 2-A








IT 352673-68-8P



RL: IMF (Industrial manufacture); PRP (Properties); RCT (Reactant); TEM (Technical or engineered material use); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(dendrimer; carbosiloxane dendrimers with good reactivity)



RN 352673-68-8 CAPLUS

CN 6,11,13,18-Tetraoxa-2,5,7,10,12,14,17,19,22-nonasilatricosane, 2,22-dichloro-12,12-bis[[[2-[3-[2-(chlorodimethylsilyl)ethyl]-1,1-bis[[[2-(chlorodimethylsilyl)ethyl]dimethylsilyl]oxy]-3,3-dimethyldisiloxanyl]ethyl]dimethylsilyl]oxy]-7,7,17,17-tetrakis[[[2-(chlorodimethylsilyl)ethyl]dimethylsilyl]oxy]-2,5,5,10,10,14,14,19,19,22-decamethyl- (9CI) (CA INDEX NAME)









PAGE 3-A



PAGE 4-A







IT 352673-69-9P

RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)  
(dendrimer; carbosiloxane dendrimers with good reactivity)

RN 352673-69-9 CAPLUS

CN 6,11,13,18-Tetraoxa-2,5,7,10,12,14,17,19,22-nonasilatricosane-2,22-diol, 12,12-[[[2-[3-[2-(hydroxydimethylsilyl)ethyl]-1,1-bis[[[2-(hydroxydimethylsilyl)ethyl]dimethylsilyl]oxy]-3,3-dimethyldisiloxanyl]ethyl]dimethylsilyl]oxy]-7,7,17,17-tetrakis[[[2-(hydroxydimethylsilyl)ethyl]dimethylsilyl]oxy]-2,5,5,10,10,14,14,19,19,22-decamethyl- (9CI) (CA INDEX NAME)

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

L3 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN

AB A carbosiloxane dendrimer is disclosed contg. a radically polymerizable group in the mol. and which possesses excellent polymn. reactivity. The carbosiloxane dendrimer can be used to provide org. polymers as afforded by the polymn. of the carbosiloxane dendrimer either alone or with other org. monomers. The radically polymerizable group-functional carbosiloxane dendrimer is represented by YR<sub>2</sub>Si(R<sub>13</sub>-b)(OSiR<sub>12</sub>X<sub>1</sub>)<sub>b</sub> (R<sub>1</sub> is C<sub>1</sub> to C<sub>10</sub> alkyl or aryl, R<sub>2</sub> is a divalent org. group excluding C<sub>1</sub> to C<sub>10</sub> alkylene, b is 1 to 3, X<sub>1</sub> is a silylalkyl group, and Y is a radically polymerizable group). Also, dendrimer-contg. org. polymer as afforded by the polymn. of (A) the aforesaid carbosiloxane dendrimer and (B) radically polymerizable org. monomer.

ACCESSION NUMBER: 2001:78012 CAPLUS

DOCUMENT NUMBER: 134:131970

TITLE: Carbosiloxane dendrimer and copolymers made therewith  
INVENTOR(S): Yoshitake, Makoto; Okawa, Tadashi; Morita, Yoshitsugu; Furukawa, Haruhiko

PATENT ASSIGNEE(S): Dow Corning Toray Silicone Co., Ltd., Japan

SOURCE: Eur. Pat. Appl., 20 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	-----	-----	-----	-----

EP 1072602 A1 20010131 EP 2000-306394 20000727  
 EP 1072602 B1 20030423  
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
 IE, SI, LT, LV, FI, RO  
 JP 2001040093 A2 20010213 JP 1999-216468 19990730  
 US 6306992 B1 20011023 US 2000-625011 20000725  
 PRIORITY APPLN. INFO.: JP 1999-216468 A 19990730

IT 322476-77-7P 322476-78-8P

RL: IMF (Industrial manufacture); PREP (Preparation)  
 (carbosiloxane dendrimer and copolymers made therewith)

RN 322476-77-7 CAPLUS




CN 2-Propenamide, N-[3-[5-[2-[1,1-bis[[dimethyl[2-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]disiloxanyl]ethyl]silyl]oxy]-3,3-dimethyl-3-[2-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]disiloxanyl]ethyl]disiloxanyl]ethyl]-3,3-bis[[2-[1,1-bis[[dimethyl[2-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]disiloxanyl]ethyl]silyl]oxy]-3,3-dimethyl-3-[2-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]disiloxanyl]ethyl]disiloxanyl]ethyl]dimethylsilyl]oxy]-1,1,5,5-tetramethyltrisiloxanyl]propyl]-2-methyl-(9CI) (CA INDEX NAME)

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*


RN 322476-78-8 CAPLUS

CN 2-Propenoic acid, 3-[3-[5-[2-[1,1-bis[(dimethyloctylsilyl)oxy]-3,3-dimethyl-3-octyldisiloxanyl]ethyl]-3,3-bis[[2-[1,1-bis[(dimethyloctylsilyl)oxy]-3,3-dimethyl-3-octyldisiloxanyl]ethyl]dimethylsilyl]oxy]-1,1,5,5-tetramethyltrisiloxanyl]propoxy]-2-hydroxypropyl ester (9CI) (CA INDEX NAME)



PAGE 1-A




PAGE 2-A




PAGE 3-A



PAGE 3-B



PAGE 4-A



RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(carbosiloxane dendrimer and copolymers made therewith)

RN 322476-81-3 CAPLUS


CN 1-Propanamine, 3-[5-[2-[1,1-bis[[dimethyl[2-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]disiloxanyl]ethyl]silyl]oxy]-3,3-dimethyl-3-[2-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]disiloxanyl]ethyl]disiloxanyl]ethyl]-3,3-bis[[2-[1,1-bis[[dimethyl[2-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]disiloxanyl]ethyl]silyl]oxy]-3,3-dimethyl-3-[2-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]disiloxanyl]ethyl]disiloxanyl]ethyl]dimethylsilyl]oxy]-1,1,5,5-tetramethyltrisiloxanyl]- (9CI) (CA INDEX NAME)

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2003 ACS on STN

GI



AB The oligosiloxanes I and (Me<sub>3</sub>SiO)<sub>3</sub>SiO[Si(OSiMe<sub>3</sub>)<sub>2</sub>O]<sub>n</sub>Si(OSiMe<sub>3</sub>)<sub>3</sub> (n = 2-8) were prepd. by treatment of peralkoxyoligosiloxanes with Me<sub>3</sub>SiI at 20-60.degree..

ACCESSION NUMBER: 1978:51013 CAPLUS

DOCUMENT NUMBER: 88:51013

TITLE: Linear or cyclic oligosiloxanes

INVENTOR(S): Voronkov, M. G.; Pavlov, S. F.; Dubinskaya, E. I.

PATENT ASSIGNEE(S): Irkutsk Institute of Organic Chemistry, USSR

SOURCE: U.S.S.R. From: Otkrytiya, Izobret., Prom. Obratzsy, Tovarnye Znaki 1977, 54(37), 76.

CODEN: URXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Russian

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
SU 575350	T	19771005	SU 1976-2307301	19760104
PRIORITY APPLN. INFO.:			SU 1976-2307301	19760104


IT 62635-16-9P 65274-92-2P 65353-15-3P

RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of)


RN 62635-16-9 CAPLUS

CN Dodecasiloxane, 1,1,1,23,23,23-hexamethyl-3,3,5,5,7,7,9,9,11,11,13,13,15,15,17,17,19,19,21,21-eicosakis[(trimethylsilyl)oxy]- (9CI) (CA INDEX NAME)


PAGE 1-A



PAGE 1-A




PAGE 1-B




RN 65274-92-2 CAPLUS

CN Decasiloxane, 1,1,1,19,19,19-hexamethyl-3,3,5,5,7,7,9,9,11,11,13,13,15,15,17,17-hexadecakis[(trimethylsilyl)oxy]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B



RN 65353-15-3 CAPLUS


CN Decasiloxane, 1,1,1,21,21,21-hexamethyl-3,3,5,5,7,7,9,9,11,11,13,13,15,15,17,17,19,19-octadecakis[(trimethylsilyl)oxy]- (9CI) (CA INDEX NAME)

PAGE 1-A



AB The integral intensities (A) of IR absorption bands of the .nu.as Si-O-Si and .delta. (Me)Si vibrations were measured and the dipole moments (.mu.) were detd. for branched permethylsiloxanes and their derivs. XSi(OA)3 (X = Et, Me(CH2)3, Cl(CH2)3, ClCH2, Cl2CH, Cl3C, CH2:CH, Ph; A = Me3Si), (Me3)nSi(OA)4-n (n = 0-3), A[OSi(OA)2]mOA (m = 2, 3, 4, 5, 10), and [O = Si(OA)2]4. The exptl. .mu. values were compared with the calcd. ones according to a vector additive scheme. In the calcns., all stable configurations with a tapered distribution of substituents at the Si-O fragment were considered. The calcd. .mu. values agreed with the exptl. ones with an error near the measurement error. The conformers are energy-equiv. and the population of the corresponding states is proportional to the degree of their degeneration. The changes in frequency and intensity of the .nu.as. Si-O-Si band, in dependence on the no. of Si-O(Si) groups, are discussed. The presence of 2 lines in the dependence  $A_{1/2}(\text{SiOSi}) = f(\sigma^*)$  ( $\sigma^* = \text{Taft const.}$ ) revealed that the character of the interaction of Si(OA)3 group with X was different; the X substituents (alkyl groups), the interaction of which with Si atom was of a purely induction character or was conditioned both by the induction and conjugation effects corresponded to 1 and the other lines, resp.

1  
 2  
 3  
 4  
 5  
 6  
 7  
 8  
 9  
 10  
 11  
 12  
 13  
 14  
 15  
 16  
 17  
 18  
 19  
 20  
 21  
 22  
 23  
 24  
 25  
 26  
 27  
 28  
 29  
 30  
 31  
 32  
 33  
 34  
 35  
 36  
 37  
 38  
 39  
 40  
 41  
 42  
 43  
 44  
 45  
 46  
 47  
 48  
 49  
 50  
 51  
 52  
 53  
 54  
 55  
 56  
 57  
 58  
 59  
 60  
 61  
 62  
 63  
 64  
 65  
 66  
 67  
 68  
 69  
 70  
 71  
 72  
 73  
 74  
 75  
 76  
 77  
 78  
 79  
 80  
 81  
 82  
 83  
 84  
 85  
 86  
 87  
 88  
 89  
 90  
 91  
 92  
 93  
 94  
 95  
 96  
 97  
 98  
 99  
 100  
 101  
 102  
 103  
 104  
 105  
 106  
 107  
 108  
 109  
 110  
 111  
 112  
 113  
 114  
 115  
 116  
 117  
 118  
 119  
 120  
 121  
 122  
 123  
 124  
 125  
 126  
 127  
 128  
 129  
 130  
 131  
 132  
 133  
 134  
 135  
 136  
 137  
 138  
 139  
 140  
 141  
 142  
 143  
 144  
 145  
 146  
 147  
 148  
 149  
 150  
 151  
 152  
 153  
 154  
 155  
 156  
 157  
 158  
 159  
 160  
 161  
 162  
 163  
 164  
 165  
 166  
 167  
 168  
 169  
 170  
 171  
 172  
 173  
 174  
 175  
 176  
 177  
 178  
 179  
 180  
 181  
 182  
 183  
 184  
 185  
 186  
 187  
 188  
 189  
 190  
 191  
 192  
 193  
 194  
 195  
 196  
 197  
 198  
 199  
 200  
 201  
 202  
 203  
 204  
 205  
 206  
 207  
 208  
 209  
 210  
 211  
 212  
 213  
 214  
 215  
 216  
 217  
 218  
 219  
 220  
 221  
 222  
 223  
 224  
 225  
 226  
 227  
 228  
 229  
 230  
 231  
 232  
 233  
 234  
 235  
 236  
 237  
 238  
 239  
 240  
 241  
 242  
 243  
 244  
 245  
 246  
 247  
 248  
 249  
 250  
 251  
 252  
 253  
 254  
 255  
 256  
 257  
 258  
 259  
 260  
 261  
 262  
 263  
 264  
 265  
 266  
 267  
 268  
 269  
 270  
 271  
 272  
 273  
 274  
 275  
 276  
 277  
 278  
 279  
 280  
 281  
 282  
 283  
 284  
 285  
 286  
 287  
 288  
 289  
 290  
 291  
 292  
 293  
 294  
 295  
 296  
 297  
 298  
 299  
 300  
 301  
 302  
 303  
 304  
 305  
 306  
 307  
 308  
 309  
 310  
 311  
 312  
 313  
 314  
 315  
 316  
 317  
 318  
 319  
 320  
 321  
 322  
 323  
 324  
 325  
 326  
 327  
 328  
 329  
 330  
 331  
 332  
 333  
 334  
 335  
 336  
 337  
 338  
 339  
 340  
 341  
 342  
 343  
 344  
 345  
 346  
 347  
 348  
 349  
 350  
 351  
 352  
 353  
 354  
 355  
 356  
 357  
 358  
 359  
 360  
 361  
 362  
 363  
 364  
 365  
 366  
 367  
 368  
 369  
 370  
 371  
 372  
 373  
 374  
 375  
 376  
 377  
 378  
 379  
 380  
 381  
 382  
 383  
 384  
 385  
 386  
 387  
 388  
 389  
 390  
 391  
 392  
 393  
 394  
 395  
 396  
 397  
 398  
 399  
 400  
 401  
 402  
 403  
 404  
 405  
 406  
 407  
 408  
 409  
 410  
 411  
 412  
 413  
 414  
 415  
 416  
 417  
 418  
 419  
 420  
 421  
 422  
 423  
 424  
 425  
 426  
 427  
 428  
 429  
 430  
 431  
 432  
 433  
 434  
 435  
 436  
 437  
 438  
 439  
 440  
 441  
 442  
 443  
 444  
 445  
 446  
 447  
 448  
 449  
 450  
 451  
 452  
 453  
 454  
 455  
 456  
 457  
 458  
 459  
 460  
 461  
 462  
 463  
 464  
 465  
 466  
 467  
 468  
 469  
 470  
 471  
 472  
 473  
 474  
 475  
 476  
 477  
 478  
 479  
 480  
 481  
 482  
 483  
 484  
 485  
 486  
 487  
 488  
 489  
 490  
 491  
 492  
 493  
 494  
 495  
 496  
 497  
 498  
 499  
 500  
 501  
 502  
 503  
 504  
 505  
 506  
 507  
 508  
 509  
 510  
 511  
 512  
 513  
 514  
 515  
 516  
 517  
 518  
 519  
 520  
 521  
 522  
 523  
 524  
 525



=>